

Model GS600

Maintenance Lift



Key Features

- *Platform Height 16 ft.*
- *Movable Control Box*
- *Descent Alarm*
- *Front & Rear Stabilizers*
- *Power Train Options*
- *EPA/CARB Certified*



GS-600

Maintenance Lift

The GS600 is a high speed chassis mounted maintenance lift designed to meet a variety of needs in airline ground support equipment applications. The GS600 combines a proven scissor arms and platform with a rugged custom built chassis.

Ground Support Specialists, LLC
2205 Cole Road
Horn Lake, MS 38637

Model GS600

Maintenance Lift

SPECIFICATIONS	GS600
Platform Height Elevated	16 ft
Platform Height Lowered	3 ft. 6 in.
Platform Railing Height	42 in.
Platform Size	84.0 x 168.0 in.
Platform Capacity	2000 lbs.
GVWR	10,500 lbs
Max Vehicle Speed	25 Mph
Wheel Base	101.0 in.
Engine	Deutz F4M2011
Advertised BHP	97hp @ 3600 rpm
Peak Torque	148 lb.ft. @ 2600 rpm
Cooling System	120 deg F. Ambient
Transmission	Ford C6
Electrical System	12V, Neg Ground
Steering	Hydrostatic
Front Axle	Dana 70-DF
Front GAWR	5,700 lbs.
Rear Axle	Dana 70-B
Rear GAWR	7,500 lbs.
Gear Ratio	7.17
Wheels	16 in. x 6 in.
Tires	225/75R16 / Pending
Brakes	Front Disc, Rear Drum
Fuel Tank	28 Gallon

Standard Features

- Fold Down Platform Rails
- Movable, Removable Platform Control Box
- Scissor Maintenance Prop
- Descent Alarm
- Front and Rear Hydraulic Stabilizers

Optional Equipment

- Platform Work Lights
- Platform Rail Mounted Bumper Padding
- Hitches
- Back-up Alarm
- Rotating/Flashing Beacon

Ground Support Specialists, LLC

2205 Cole Road

Horn Lake, MS 38637

Office: (662) 342-1412

Contact: Rudy Yates

Phone: (901) 218-0047

Email: rudy@gssonline.com